

Appendix F

INTERNAL REPRESENTATION OF DATA STRUCTURES

In order to use Assembly or Fortran procedures in a SIMULA program one must know how data and data structures are represented internally. Variables of type INTEGER, SHORT INTEGER, REAL, LONG REAL, and CHARACTER have their obvious internal representations: fullword, halfword, single precision floating point, double precision floating point and EBCDIC character.


A BOOLEAN is X'00' for FALSE and X'01' for TRUE.

A REF (...) variable is the fullword block instance address, or, if none, X'00FF0000', and an array is the fullword array object address.

A text variable is represented within a block as a 3-word text descriptor. The first word is the address of the text storage block (text object), the second is the address of the first byte of the text -1. The third word is divided into two halfwords: the first is the length of the text and the second is the position indicator.

In a block the quantities are allocated in the same sequence as they are declared, with the spaces and alignments given in table 3.2. The first quantity of a block is allocated at the displacement 8 from the blocks starting address.

Array object format.



- 1 in the first word indicates that this is an array object.
- OL is the array object length.
- BA is the address of the element A(0,0,...,0).
- QUALIF is a word identifying the qualification of a REF array, or unused.
- n number of subscripts.
- d dope vector
- LIND lower index
- UIND upper index
- type array type code (App. G).

Dope vector and index checking.

Assume the array declaration

```
A (l(i) : u, ... , l(n) : u(n));
```

Then

```
d(1) = u(1) - l(1) + 1
```

```
d(i) = d(i-1)*(u(i) - l(i) + 1), i = 2, ..., n - 1
```

```
d(0) = 1 (not present in object)
```

```
LIND := 0;
```

```
for i := 1 step 1 until n do LIND := LIND + l(i)*d(i-1);
```

```
UIND := 0;
```

```
for i := 1 step 1 until n do LIND := LIND + u(i)*d(i-1);
```

The computation of the address of A(i , ... , i(n)) is described by the following algorithm:


```
t := 0;
```

```
for k := 1 step 1 until n do t := t + i(k)*d(k-1);
```

```
error ("subscriptbounds");
```

```
address := t * elementlength + BA;
```

Text object format.



-2 indicates that this is a text object.

CL is the length of the text contents.

DL is the text object length.

$$DL = (CL + 12 + 7) // 8 * 8$$